RCS file: /p/cvsroot/atlas/BOM,v
Working file: atlas/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 7.0
keyword substitution: kv
total revisions: 1799;   selected revisions: 10
description:
----
revision 2.24
date: 1995/02/04 19:04:24;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

ddedTemplate file

Geert
----
revision 2.23
date: 1995/02/03 20:51:08;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

PC stuff
Geert
----
revision 2.22
date: 1995/02/03 20:41:44;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

Initial che-in for cache file

Geert
----
revision 2.21
date: 1995/02/03 20:39:29;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

register file

Geert
----
revision 2.20
date: 1995/02/02 19:33:34;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

cosmetic changes

Geert
----
revision 2.19
date: 1995/02/02 18:50:58;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

release new doc
Geert
----
revision 2.18
date: 1995/02/02 18:25:46;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

Release layout.html

Geert
----
revision 2.17
date: 1995/02/01 05:02:45;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

release solder design rule data

Geert
----
revision 2.16
date: 1995/02/01 04:56:08;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

Newdata

Geert
----
revision 2.15
date: 1995/01/31 20:38:54;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

build doc files
Geert
===

RCS file: /p/cvsroot/atlas/dcell/cache.dcell,v
Working file: atlas/dcell/cache.dcell
head: 1.6
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.6
keyword substitution: kv
total revisions: 6;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 05:38:29;   author: geert;   state: Exp;   lines: +4 -4
changed to CSM process

Geert
===

RCS file: /p/cvsroot/atlas/doc/BOM,v
Working file: atlas/doc/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 37.0
keyword substitution: kv
total revisions: 83;   selected revisions: 20
description:
releasebom adding BOM
----
revision 18.0
date: 1995/02/04 19:04:13;   author: geert;   state: Exp;   lines: +1 -1

Release Target: atlas/doc

ddedTemplate file

Geert
----
revision 17.1
date: 1995/02/04 19:04:05; author: geert; state: Exp; lines: +5 -4
releasebom: File needs to be up-to-date to use commit -r
----
revision 17.0
date: 1995/02/03 20:50:57; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

PC stuff
Geert
----
revision 16.1
date: 1995/02/03 20:50:50; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 16.0
date: 1995/02/03 20:41:34; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Initial che-in for cache file

Geert
----
revision 15.1
date: 1995/02/03 20:41:27; author: geert; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r
----
revision 15.0
date: 1995/02/03 20:39:17; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

register file

Geert
----
revision 14.1
date: 1995/02/03 20:39:08; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 14.0
date: 1995/02/02 19:33:21; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

cosmetic changes

Geert
----
revision 13.1
date: 1995/02/02 19:33:12; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 13.0
date: 1995/02/02 18:50:46; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

release new doc

Geert
----
revision 12.1
date: 1995/02/02 18:50:39; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 12.0
date: 1995/02/02 18:25:35; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Release layout.html

Geert
----
revision 11.1
date: 1995/02/02 18:25:28; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 11.0
date: 1995/02/01 05:02:34; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

release solder design rule data

Geert
----
revision 10.1
date: 1995/02/01 05:02:26; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 10.0
date: 1995/02/01 04:55:58; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Newdata

Geert
----
revision 9.1
date: 1995/02/01 04:55:50; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 9.0
date: 1995/01/31 20:38:41; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

build doc files
Geert
----
revision 8.1
date: 1995/01/31 20:38:33; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/doc/Attic/Makefile,v
Working file: atlas/doc/Makefile
head: 1.13
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;   selected revisions: 6

description:
----
revision 1.12
date: 1995/02/04 19:10:15; author: geert; state: Exp; lines: +2 -2
INitial check-in
Geert
----
revision 1.11
date: 1995/02/04 19:03:14; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert
----
revision 1.10
date: 1995/02/02 18:40:31; author: geert; state: Exp; lines: +3 -2
moved this here from cronus

Geetr
----
revision 1.9
date: 1995/02/02 18:21:53; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert
----
revision 1.8
date: 1995/02/01 04:54:49; author: geert; state: Exp; lines: +2 -2
CSM solder rules file

Geert
----
revision 1.7
date: 1995/01/31 20:38:02; author: geert; state: Exp; lines: +2 -2
Build cr

Geert
===

RCS file: /p/cvsroot/atlas/doc/cc.ht,v
Working file: atlas/doc/cc.ht
head: 15.3
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 15.3
keyword substitution: kv
total revisions: 3;   selected revisions: 2
description:
----
revision 15.2
date: 1995/02/04 19:03:16; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert
----
revision 15.1
date: 1995/02/03 20:40:48; author: geert; state: Exp;
cache initial check-in

Geert
===

```
RCS file: /p/cvsroot/atlas/doc/cr.ht,v
Working file: atlas/doc/cr.ht
head: 5.6
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 5.6
keyword substitution: kv
total revisions: 6;      selected revisions: 1
description:
----------------------------
revision 5.3
date: 1995/02/03 20:30:09;  author: geert;  state: Exp;  lines: +27 -8
Added physical constraints

Geert
=====================================================================

RCS file: /p/cvsroot/atlas/doc/ctag.ht,v
Working file: atlas/doc/ctag.ht
head: 17.2
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 17.2
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 17.1
date: 1995/02/04 19:03:18;  author: geert;  state: Exp;
Initial check-in

Geert
=====================================================================

RCS file: /p/cvsroot/atlas/doc/gardsrules.ht,v
Working file: atlas/doc/gardsrules.ht
head: 12.1
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 12.1
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
----------------------------
revision 12.1
date: 1995/02/02 18:40:33;  author: geert;  state: Exp;
moved this here from cronus

Geetr
=====================================================================

RCS file: /p/cvsroot/atlas/doc/layout.ht,v
Working file: atlas/doc/layout.ht
head: 11.18
branch:
locks: strict
access list:
```

symbolic names:
        b4_rich: 11.18
keyword substitution: kv
total revisions: 18;   selected revisions: 6
description:
----
revision 11.6
date: 1995/02/05 18:40:47; author: geert; state: Exp; lines: +5 -5
Minor changes

Geert
----
revision 11.5
date: 1995/02/04 18:53:25; author: geert; state: Exp; lines: +2 -1
Added a rules for custom block domensions

Geert
----
revision 11.4
date: 1995/02/03 20:50:25; author: geert; state: Exp; lines: +2 -2
Did the politically correct thing : change Layout Rules
into Layout Guidelines.

Geert
----
revision 11.3
date: 1995/02/02 19:32:26; author: geert; state: Exp; lines: +4 -2
point to gardsrules file

Geert
----
revision 11.2
date: 1995/02/02 18:24:59; author: geert; state: Exp; lines: +6 -1
Added more layout rules

Geert
----
revision 11.1
date: 1995/02/02 18:21:55; author: geert; state: Exp;
Initial check-in

Geert
===

RCS file: /p/cvsroot/atlas/doc/solderrules.ht,v
Working file: atlas/doc/solderrules.ht
head: 10.1
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 10.1
keyword substitution: kv
total revisions: 1;   selected revisions: 1
description:
----
revision 10.1
date: 1995/02/01 05:01:41; author: geert; state: Exp;
CSM solder design rules

Geert
===

```
RCS file: /p/cvsroot/atlas/doc/Attic/solderrules.html,v
Working file: atlas/doc/solderrules.html
head: 9.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 9.2
date: 1995/02/01 05:01:44;  author: geert;  state: Exp;  lines: +2 -2
CSM solder design rules

Geert
----------------------------
revision 9.1
date: 1995/02/01 04:54:51;  author: geert;  state: Exp;
CSM solder rules file

Geert
=============================================================================

RCS file: /p/cvsroot/atlas/doc/Attic/stdcells.ht,v
Working file: atlas/doc/stdcells.ht
head: 18.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
----------------------------
revision 18.1
date: 1995/02/04 19:10:17;  author: geert;  state: Exp;
INitial check-in
Geert
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvandlb17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:49:39;  author: ong;  state: Exp;  lines: +1196 -1190
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvandlb17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
```

symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:46; author: ong;   state: Exp;   lines: +324 -322
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas/ged/xv/xvinvnm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvinvnm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:52; author: ong;   state: Exp;   lines: +138 -131
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas/ged/xv/xvinvnm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvinvnm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:54; author: ong;   state: Exp;   lines: +37 -37
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvlataqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:59; author: ong;   state: Exp;   lines: +290 -282
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvlataqm/spice_cn.1.1
head: 1.2
branch:
locks: strict

access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:01; author: ong;   state: Exp;   lines: +87 -85
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvlatbqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:06; author: ong;   state: Exp;   lines: +288 -280
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvlatbqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:08; author: ong;   state: Exp;   lines: +87 -85
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvmux8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:14; author: ong;   state: Exp;   lines: +315 -309
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvmux8nm/spice_cn.1.1
head: 1.2
branch:

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:50:16;  author: ong;   state: Exp;   lines: +142 -140
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmuxlb8nm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvmuxlb8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:50:21;  author: ong;   state: Exp;   lines: +1561 -1545
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmuxlb8nm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvmuxlb8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:50:31;  author: ong;   state: Exp;   lines: +456 -452
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvnand4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:50:37;  author: ong;   state: Exp;   lines: +362 -354
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvnand4nm/spice_cn.1.1
head: 1.2
```

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:39; author: ong;   state: Exp;   lines: +106 -106
Misc edits mostly to location properties
==

RCS file: /p/cvsroot/atlas/ged/xv/xvnor4nm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvnor4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:44; author: ong;   state: Exp;   lines: +363 -347
Misc edits mostly to location properties
==

RCS file: /p/cvsroot/atlas/ged/xv/xvnor4nm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvnor4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:48; author: ong;   state: Exp;   lines: +102 -102
Misc edits mostly to location properties
==

RCS file: /p/cvsroot/atlas/ged/xv/xvorla17qm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvorla17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:53; author: ong;   state: Exp;   lines: +1195 -1187
Misc edits mostly to location properties
==

RCS file: /p/cvsroot/atlas/ged/xv/xvorla17qm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvorla17qm/spice_cn.1.1

```
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:51:01;  author: ong;   state: Exp;   lines: +319 -317
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas/leafgen/Makefile,v
Working file: atlas/leafgen/Makefile
head: 1.33
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.33
keyword substitution: kv
total revisions: 33;     selected revisions: 1
description:
----------------------------
revision 1.1
date: 1995/02/02 20:07:39;  author: wingard;   state: Exp;
Standard cell documentation.
=============================================================================

RCS file: /p/cvsroot/atlas/leafgen/Attic/std_cells.ht,v
Working file: atlas/leafgen/std_cells.ht
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1
date: 1995/02/02 20:07:41;  author: wingard;   state: Exp;
Standard cell documentation.
=============================================================================

RCS file: /p/cvsroot/atlas2/BOM,v
Working file: atlas2/BOM
head: 201.2755
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 201.2700
keyword substitution: kv
total revisions: 4418;  selected revisions: 10
description:
----------------------------
revision 2.24
date: 1995/02/04 19:04:24;  author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc
```

ddedTemplate file

Geert
----
revision 2.23
date: 1995/02/03 20:51:08; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

PC stuff
Geert
----
revision 2.22
date: 1995/02/03 20:41:44; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

Initial che-in for cache file

Geert
----
revision 2.21
date: 1995/02/03 20:39:29; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

register file

Geert
----
revision 2.20
date: 1995/02/02 19:33:34; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

cosmetic changes

Geert
----
revision 2.19
date: 1995/02/02 18:50:58; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

release new doc
Geert
----
revision 2.18
date: 1995/02/02 18:25:46; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

Release layout.html

Geert
----
revision 2.17
date: 1995/02/01 05:02:45; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

release solder design rule data

Geert
----
revision 2.16
date: 1995/02/01 04:56:08; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

Newdata

Geert
----
revision 2.15
date: 1995/01/31 20:38:54;   author: geert;   state: Exp;   lines: +2 -2
Release Target: atlas/doc

build doc files
Geert
==

RCS file: /p/cvsroot/atlas2/dcell/Attic/cache.dcell,v
Working file: atlas2/dcell/cache.dcell
head: 200.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 05:38:29;   author: geert;   state: Exp;   lines: +4 -4
changed to CSM process

Geert
==

RCS file: /p/cvsroot/atlas2/doc/BOM,v
Working file: atlas2/doc/BOM
head: 208.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 203.0
keyword substitution: kv
total revisions: 101;   selected revisions: 20
description:
releasebom adding BOM
----
revision 18.0
date: 1995/02/04 19:04:13;   author: geert;   state: Exp;   lines: +1 -1
Release Target: atlas/doc

ddedTemplate file

Geert
----
revision 17.1
date: 1995/02/04 19:04:05;   author: geert;   state: Exp;   lines: +5 -4
releasebom: File needs to be up-to-date to use commit -r
----
revision 17.0
date: 1995/02/03 20:50:57;   author: geert;   state: Exp;   lines: +1 -1
Release Target: atlas/doc

PC stuff
Geert
----
revision 16.1

```
date: 1995/02/03 20:50:50;  author: geert;  state: Exp;  lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
----------------------------
revision 16.0
date: 1995/02/03 20:41:34;  author: geert;  state: Exp;  lines: +1 -1
Release Target: atlas/doc

Initial che-in for cache file

Geert
----------------------------
revision 15.1
date: 1995/02/03 20:41:27;  author: geert;  state: Exp;  lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r
----------------------------
revision 15.0
date: 1995/02/03 20:39:17;  author: geert;  state: Exp;  lines: +1 -1
Release Target: atlas/doc

register file


Geert
----------------------------
revision 14.1
date: 1995/02/03 20:39:08;  author: geert;  state: Exp;  lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
----------------------------
revision 14.0
date: 1995/02/02 19:33:21;  author: geert;  state: Exp;  lines: +1 -1
Release Target: atlas/doc

cosmetic changes

Geert
----------------------------
revision 13.1
date: 1995/02/02 19:33:12;  author: geert;  state: Exp;  lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
----------------------------
revision 13.0
date: 1995/02/02 18:50:46;  author: geert;  state: Exp;  lines: +1 -1
Release Target: atlas/doc

release new doc
Geert
----------------------------
revision 12.1
date: 1995/02/02 18:50:39;  author: geert;  state: Exp;  lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
----------------------------
revision 12.0
date: 1995/02/02 18:25:35;  author: geert;  state: Exp;  lines: +1 -1
Release Target: atlas/doc

Release layout.html

Geert
----------------------------
revision 11.1
date: 1995/02/02 18:25:28;  author: geert;  state: Exp;  lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
----------------------------
```

revision 11.0
date: 1995/02/01 05:02:34; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

release solder design rule data

Geert
----
revision 10.1
date: 1995/02/01 05:02:26; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 10.0
date: 1995/02/01 04:55:58; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Newdata

Geert
----
revision 9.1
date: 1995/02/01 04:55:50; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
----
revision 9.0
date: 1995/01/31 20:38:41; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

build doc files
Geert
----
revision 8.1
date: 1995/01/31 20:38:33; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
===
RCS file: /p/cvsroot/atlas2/doc/Attic/Makefile,v
Working file: atlas2/doc/Makefile
head: 1.13
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;   selected revisions: 6
description:
----
revision 1.12
date: 1995/02/04 19:10:15; author: geert; state: Exp; lines: +2 -2
INitial check-in
Geert
----
revision 1.11
date: 1995/02/04 19:03:14; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert
----
revision 1.10
date: 1995/02/02 18:40:31; author: geert; state: Exp; lines: +3 -2
moved this here from cronus

Geetr

```
----------------------------
revision 1.9
date: 1995/02/02 18:21:53;  author: geert;  state: Exp;  lines: +2 -2
Initial check-in

Geert
----------------------------
revision 1.8
date: 1995/02/01 04:54:49;  author: geert;  state: Exp;  lines: +2 -2
CSM solder rules file

Geert
----------------------------
revision 1.7
date: 1995/01/31 20:38:02;  author: geert;  state: Exp;  lines: +2 -2
Build cr

Geert
=============================================================================

RCS file: /p/cvsroot/atlas2/doc/cc.ht,v
Working file: atlas2/doc/cc.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.0
keyword substitution: kv
total revisions: 5;     selected revisions: 2
description:
----------------------------
revision 15.2
date: 1995/02/04 19:03:16;  author: geert;  state: Exp;  lines: +2 -2
Initial check-in

Geert
----------------------------
revision 15.1
date: 1995/02/03 20:40:48;  author: geert;  state: Exp;
cache initial check-in

Geert
=============================================================================

RCS file: /p/cvsroot/atlas2/doc/cr.ht,v
Working file: atlas2/doc/cr.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.0
keyword substitution: kv
total revisions: 8;     selected revisions: 1
description:
----------------------------
revision 5.3
date: 1995/02/03 20:30:09;  author: geert;  state: Exp;  lines: +27 -8
Added physical constraints

Geert
=============================================================================
```

```
RCS file: /p/cvsroot/atlas2/doc/ctag.ht,v
Working file: atlas2/doc/ctag.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.0
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
----------------------------
revision 17.1
date: 1995/02/04 19:03:18;  author: geert;  state: Exp;
Initial check-in

Geert
=============================================================================
RCS file: /p/cvsroot/atlas2/doc/gardsrules.ht,v
Working file: atlas2/doc/gardsrules.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.0
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 12.1
date: 1995/02/02 18:40:33;  author: geert;  state: Exp;
moved this here from cronus

Geetr
=============================================================================
RCS file: /p/cvsroot/atlas2/doc/layout.ht,v
Working file: atlas2/doc/layout.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.0
keyword substitution: kv
total revisions: 20;     selected revisions: 6
description:
----------------------------
revision 11.6
date: 1995/02/05 18:40:47;  author: geert;  state: Exp;  lines: +5 -5
Minor changes

Geert
----------------------------
revision 11.5
date: 1995/02/04 18:53:25;  author: geert;  state: Exp;  lines: +2 -1
Added a rules for custom block domensions

Geert
----------------------------
```

```
revision 11.4
date: 1995/02/03 20:50:25;  author: geert;  state: Exp;  lines: +2 -2
Did the politically correct thing : change Layout Rules
into Layout Guidelines.

Geert
----------------------------
revision 11.3
date: 1995/02/02 19:32:26;  author: geert;  state: Exp;  lines: +4 -2
point to gardsrules file

Geert
----------------------------
revision 11.2
date: 1995/02/02 18:24:59;  author: geert;  state: Exp;  lines: +6 -1
Added more layout rules

Geert
----------------------------
revision 11.1
date: 1995/02/02 18:21:55;  author: geert;  state: Exp;
Initial check-in

Geert
=============================================================================

RCS file: /p/cvsroot/atlas2/doc/solderrules.ht,v
Working file: atlas2/doc/solderrules.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.0
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 10.1
date: 1995/02/01 05:01:41;  author: geert;  state: Exp;
CSM solder design rules

Geert
=============================================================================

RCS file: /p/cvsroot/atlas2/doc/Attic/solderrules.html,v
Working file: atlas2/doc/solderrules.html
head: 9.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 9.2
date: 1995/02/01 05:01:44;  author: geert;  state: Exp;  lines: +2 -2
CSM solder design rules

Geert
----------------------------
revision 9.1
```

date: 1995/02/01 04:54:51; author: geert; state: Exp;
CSM solder rules file

Geert
===

RCS file: /p/cvsroot/atlas2/doc/Attic/stdcells.ht,v
Working file: atlas2/doc/stdcells.ht
head: 18.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;   selected revisions: 1
description:
----
revision 18.1
date: 1995/02/04 19:10:17; author: geert; state: Exp;
INitial check-in
Geert
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvandlb17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:39; author: ong; state: Exp; lines: +1196 -1190
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvandlb17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:46; author: ong; state: Exp; lines: +324 -322
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvinvnm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:52; author: ong;   state: Exp;   lines: +138 -131
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvinvnm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:54; author: ong;   state: Exp;   lines: +37 -37
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvlataqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:49:59; author: ong;   state: Exp;   lines: +290 -282
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvlataqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:01; author: ong;   state: Exp;   lines: +87 -85
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvlatbqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:

```
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:50:06;  author: ong;   state: Exp;   lines: +288 -280
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvlatbqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:50:08;  author: ong;   state: Exp;   lines: +87 -85
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvmux8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:50:14;  author: ong;   state: Exp;   lines: +315 -309
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvmux8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/02/01 19:50:16;  author: ong;   state: Exp;   lines: +142 -140
Misc edits mostly to location properties
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxlb8nm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvmuxlb8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
```

symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:21; author: ong;   state: Exp;   lines: +1561 -1545
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvmux1b8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:31; author: ong;   state: Exp;   lines: +456 -452
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvnand4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:37; author: ong;   state: Exp;   lines: +362 -354
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvnand4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:39; author: ong;   state: Exp;   lines: +106 -106
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvnor4nm/spice.1.1
head: 1.2
branch:
locks: strict

access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:44; author: ong; state: Exp; lines: +363 -347
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvnor4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:48; author: ong; state: Exp; lines: +102 -102
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvorla17qm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvorla17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:50:53; author: ong; state: Exp; lines: +1195 -1187
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvorla17qm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvorla17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/02/01 19:51:01; author: ong; state: Exp; lines: +319 -317
Misc edits mostly to location properties
===

RCS file: /p/cvsroot/atlas2/leafgen/Makefile,v
Working file: atlas2/leafgen/Makefile
head: 200.18
branch:

```
locks: strict
access list:
symbolic names:
        b4_rich: 200.18
keyword substitution: kv
total revisions: 50;    selected revisions: 1
description:
----------------------------
revision 1.1
date: 1995/02/02 20:07:39;  author: wingard;  state: Exp;
Standard cell documentation.
=================================================================================

RCS file: /p/cvsroot/atlas2/leafgen/Attic/std_cells.ht,v
Working file: atlas2/leafgen/std_cells.ht
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1
date: 1995/02/02 20:07:41;  author: wingard;  state: Exp;
Standard cell documentation.
=================================================================================
```